

Refine Search

Search Results -

Term	Documents
DISCHARGE	462068
DISCHARGES	96641
(11 AND DISCHARGE).PGPB,USPT.	10
(L11 AND DISCHARGE).PGPB,USPT.	10

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Monday, May 17, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set

DB=PGPB,USPT; PLUR=YES; OP=ADJ

<u>L12</u>	L11 and discharge	10	<u>L12</u>
<u>L11</u>	L10 and reverse adj bias	25	<u>L11</u>
<u>L10</u>	electroluminescence adj device\$1	877	<u>L10</u>

DB=USPT; PLUR=YES; OP=ADJ

<u>L9</u>	electroluminescence adj device\$1	518	<u>L9</u>
<u>L8</u>	electroluminescence adn device\$1	0	<u>L8</u>
<u>L7</u>	L6 and reset adj driving	1	<u>L7</u>
<u>L6</u>	L4 and discharge	1	<u>L6</u>
<u>L5</u>	L4 and ground adj voltage	0	<u>L5</u>
<u>L4</u>	L1 and reverse adj bias	1	<u>L4</u>
<u>L3</u>	L2 and reverse adj bias	0	<u>L3</u>

L2 L1 and revers adj bias and discharge
L1 6229267.pn.

0 L2
1 L1

END OF SEARCH HISTORY

h e b b cg b e e ch

L5 l4 and (scan\$4 or cathode) adj line\$1 5 L5
DB=PGPB,USPT; PLUR=YES; OP=ADJ

<u>L4</u>	L3 and reverse adj bias	25	<u>L4</u>
<u>L3</u>	l1 and electroluminescence adj device\$1	877	<u>L3</u>
<u>L2</u>	l1 and lectroluminescence adj device\$1	1	<u>L2</u>
<u>L1</u>	electroluminescence	6810	<u>L1</u>

END OF SEARCH HISTORY